

```

<?xml version="1.0" encoding="utf-8"?>
<cBlueprintLoader xmlns:d="http://www.kuju.com/TnT/2003/Delta" d:version="1.0">
  <Blueprint>
    <cTrackRulesBlueprint>
      <TrackTypes>
        <iBlueprintLibrary-cAbsoluteBlueprintID d:id="3934">
          <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
              <Provider d:type="cDeltaString">RWAustria</Provider>
              <Product d:type="cDeltaString">Austria</Product>
            </iBlueprintLibrary-cBlueprintSetID>
          </BlueprintSetID>
          <BlueprintID
            d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB1.xml</Bluepr
            intID>
        </iBlueprintLibrary-cAbsoluteBlueprintID>
        <iBlueprintLibrary-cAbsoluteBlueprintID d:id="3939">
          <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
              <Provider d:type="cDeltaString">RWAustria</Provider>
              <Product d:type="cDeltaString">Austria</Product>
            </iBlueprintLibrary-cBlueprintSetID>
          </BlueprintSetID>
          <BlueprintID
            d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB2.xml</Bluepr
            intID>
        </iBlueprintLibrary-cAbsoluteBlueprintID>
        <iBlueprintLibrary-cAbsoluteBlueprintID d:id="3944">
          <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
              <Provider d:type="cDeltaString">RWAustria</Provider>
              <Product d:type="cDeltaString">Austria</Product>
            </iBlueprintLibrary-cBlueprintSetID>
          </BlueprintSetID>
          <BlueprintID
            d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB3.xml</Bluepr
            intID>
        </iBlueprintLibrary-cAbsoluteBlueprintID>
        <iBlueprintLibrary-cAbsoluteBlueprintID d:id="3949">
          <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
              <Provider d:type="cDeltaString">RWAustria</Provider>
              <Product d:type="cDeltaString">Austria</Product>
            </iBlueprintLibrary-cBlueprintSetID>
          </BlueprintSetID>
          <BlueprintID
            d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB4.xml</Bluepr
            intID>
        </iBlueprintLibrary-cAbsoluteBlueprintID>
        <iBlueprintLibrary-cAbsoluteBlueprintID d:id="3954">
          <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
              <Provider d:type="cDeltaString">RWAustria</Provider>
              <Product d:type="cDeltaString">Austria</Product>
            </iBlueprintLibrary-cBlueprintSetID>
          </BlueprintSetID>
          <BlueprintID

```

```

d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB1_Tunnel.xml</
/BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3959">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB2_Tunnel.xml<
/BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3964">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB3_Tunnel.xml<
/BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3969">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB4_Tunnel.xml<
/BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3974">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB1_LZB.xml</Bl
ueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3979">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB2_LZB.xml</Bl
ueprintID>

```

```

</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3984">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB1_LZB_Tunnel.xml</BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
<iBlueprintLibrary-cAbsoluteBlueprintID d:id="3989">
  <BlueprintSetID>
    <iBlueprintLibrary-cBlueprintSetID>
      <Provider d:type="cDeltaString">RWAustria</Provider>
      <Product d:type="cDeltaString">Austria</Product>
    </iBlueprintLibrary-cBlueprintSetID>
  </BlueprintSetID>
  <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB2_LZB_Tunnel.xml</BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
</TrackTypes>
<DefaultTrackType>
  <iBlueprintLibrary-cAbsoluteBlueprintID>
    <BlueprintSetID>
      <iBlueprintLibrary-cBlueprintSetID>
        <Provider d:type="cDeltaString">RWAustria</Provider>
        <Product d:type="cDeltaString">Austria</Product>
      </iBlueprintLibrary-cBlueprintSetID>
    </BlueprintSetID>
    <BlueprintID
d:type="cDeltaString">RailNetwork\DBTracks\Track\DBTracks_DB2.xml</BlueprintID>
  </iBlueprintLibrary-cAbsoluteBlueprintID>
</DefaultTrackType>
<DefaultLineType>
  <Network-iTrackNetworkLineType-cPropertyValue>
    <LineType d:type="cDeltaString">MainLine</LineType>
  </Network-iTrackNetworkLineType-cPropertyValue>
</DefaultLineType>
<DefaultSpeedLimit>
  <Network-iTrackNetworkSpeedLimit-cPropertyValue>
    <Primary d:type="sInt32">80</Primary>
    <Secondary d:type="sInt32">80</Secondary>
  </Network-iTrackNetworkSpeedLimit-cPropertyValue>
</DefaultSpeedLimit>
<DefaultLineDirection>
  <Network-iTrackNetworkLineDirection-cPropertyValue>
    <LineDirection d:type="cDeltaString">Both</LineDirection>
  </Network-iTrackNetworkLineDirection-cPropertyValue>
</DefaultLineDirection>
<DefaultElectrification>
  <Network-iTrackNetworkElectrification-cPropertyValue>
    <Electrification d:type="cDeltaString">OverheadWires</Electrification>
  </Network-iTrackNetworkElectrification-cPropertyValue>

```

```
</DefaultElectrification>
<DefaultSCollision>
  <Network-iTrackNetworkSpecialCollision-cPropertyValue>
    <SpecialCollision d:type="cDeltaString">Off</SpecialCollision>
  </Network-iTrackNetworkSpecialCollision-cPropertyValue>
</DefaultSCollision>
<DefaultSuperelevation>
  <Network-iTrackNetworkSuperelevation-cPropertyValue>
    <MaxCantAngleDegrees d:type="sFloat32"
      d:alt_encoding="0000000000001240"
      d:precision="string">6.36</MaxCantAngleDegrees>
    <CurveToAnglePercent d:type="sFloat32"
      d:alt_encoding="0000000000804640"
      d:precision="string">32.39</CurveToAnglePercent>
  </Network-iTrackNetworkSuperelevation-cPropertyValue>
</DefaultSuperelevation>
<DefaultRideQuality>
  <Network-iTrackNetworkRideQuality-cPropertyValue>
    <LineUnevenness d:type="sFloat32" d:alt_encoding="0000000000002840"
      d:precision="string">0</LineUnevenness>
  </Network-iTrackNetworkRideQuality-cPropertyValue>
</DefaultRideQuality>
<GradientValue d:type="cDeltaString">PerMill</GradientValue>
<SpeedUnitValue d:type="cDeltaString">KPH</SpeedUnitValue>
<TrackGauge d:type="sFloat32" d:alt_encoding="00000080C2F5F63F"
  d:precision="string">1.435</TrackGauge>
<ParallelDistance d:type="sFloat32" d:alt_encoding="0000000000001040"
  d:precision="string">4.6</ParallelDistance>
<MainLineTrackLimits>
  <iTrackRulesBlueprint-sCurvatureLimits>
    <MaxSpeedTolerance d:type="sUInt32">91</MaxSpeedTolerance>
    <MinRadius d:type="sUInt32">295</MinRadius>
  </iTrackRulesBlueprint-sCurvatureLimits>
</MainLineTrackLimits>
<YardTrackLimits>
  <iTrackRulesBlueprint-sCurvatureLimits>
    <MaxSpeedTolerance d:type="sUInt32">91</MaxSpeedTolerance>
    <MinRadius d:type="sUInt32">295</MinRadius>
  </iTrackRulesBlueprint-sCurvatureLimits>
</YardTrackLimits>
<PassengerTrackLimits>
  <iTrackRulesBlueprint-sCurvatureLimits>
    <MaxSpeedTolerance d:type="sUInt32">91</MaxSpeedTolerance>
    <MinRadius d:type="sUInt32">295</MinRadius>
  </iTrackRulesBlueprint-sCurvatureLimits>
</PassengerTrackLimits>
<FreightTrackLimits>
  <iTrackRulesBlueprint-sCurvatureLimits>
    <MaxSpeedTolerance d:type="sUInt32">91</MaxSpeedTolerance>
    <MinRadius d:type="sUInt32">295</MinRadius>
  </iTrackRulesBlueprint-sCurvatureLimits>
</FreightTrackLimits>
<SuperElevation d:type="sFloat32" d:alt_encoding="0000000000000000"
  d:precision="string">0</SuperElevation>
<CatenaryBlueprint>
  <iBlueprintLibrary-cAbsoluteBlueprintID>
    <BlueprintSetID>
```

```

        <iBlueprintLibrary-cBlueprintSetID>
            <Provider d:type="cDeltaString"></Provider>
            <Product d:type="cDeltaString"></Product>
        </iBlueprintLibrary-cBlueprintSetID>
    </BlueprintSetID>
    <BlueprintID d:type="cDeltaString"></BlueprintID>
</iBlueprintLibrary-cAbsoluteBlueprintID>
</CatenaryBlueprint>
<ThirdRailBlueprint>
    <iBlueprintLibrary-cAbsoluteBlueprintID>
        <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
                <Provider d:type="cDeltaString"></Provider>
                <Product d:type="cDeltaString"></Product>
            </iBlueprintLibrary-cBlueprintSetID>
        </BlueprintSetID>
        <BlueprintID d:type="cDeltaString"></BlueprintID>
    </iBlueprintLibrary-cAbsoluteBlueprintID>
</ThirdRailBlueprint>
<FourthRailBlueprint>
    <iBlueprintLibrary-cAbsoluteBlueprintID>
        <BlueprintSetID>
            <iBlueprintLibrary-cBlueprintSetID>
                <Provider d:type="cDeltaString"></Provider>
                <Product d:type="cDeltaString"></Product>
            </iBlueprintLibrary-cBlueprintSetID>
        </BlueprintSetID>
        <BlueprintID d:type="cDeltaString"></BlueprintID>
    </iBlueprintLibrary-cAbsoluteBlueprintID>
</FourthRailBlueprint>
<ManualJunctionEntity>
    <iTrackRulesBlueprint-sPatternEntityDesc>
        <Blueprint>
            <iBlueprintLibrary-cAbsoluteBlueprintID>
                <BlueprintSetID>
                    <iBlueprintLibrary-cBlueprintSetID>
                        <Provider d:type="cDeltaString">RSC</Provider>
                        <Product d:type="cDeltaString">HamburgHannover</Product>
                    </iBlueprintLibrary-cBlueprintSetID>
                </BlueprintSetID>
                <BlueprintID
                    d:type="cDeltaString">RailNetwork\Junctions\Manual_Junction_Lever
                    .xml</BlueprintID>
            </iBlueprintLibrary-cAbsoluteBlueprintID>
        </Blueprint>
        <SidewaysOffset d:type="sFloat32" d:alt_encoding="000000000000F03F"
            d:precision="string">1</SidewaysOffset>
        <AnimID d:type="cDeltaString">Switch</AnimID>
        <TransitionTime d:type="sFloat32" d:alt_encoding="000000000000F03F"
            d:precision="string">1</TransitionTime>
    </iTrackRulesBlueprint-sPatternEntityDesc>
</ManualJunctionEntity>
<AutomaticJunctionEntity>
    <iTrackRulesBlueprint-sPatternEntityDesc>
        <Blueprint>
            <iBlueprintLibrary-cAbsoluteBlueprintID>
                <BlueprintSetID>

```

```

        <iBlueprintLibrary-cBlueprintSetID>
            <Provider d:type="cDeltaString">RSC</Provider>
            <Product d:type="cDeltaString">HamburgHannover</Product>
        </iBlueprintLibrary-cBlueprintSetID>
    </BlueprintSetID>
    <BlueprintID
d:type="cDeltaString">RailNetwork\Junctions\Automatic_Junction_Le
ver.xml</BlueprintID>
    </iBlueprintLibrary-cAbsoluteBlueprintID>
</Blueprint>
<SidewaysOffset d:type="sFloat32" d:alt_encoding="00000060B81EF93F"
d:precision="string">1.57</SidewaysOffset>
<AnimID d:type="cDeltaString"></AnimID>
<TransitionTime d:type="sFloat32" d:alt_encoding="000000000000F03F"
d:precision="string">1</TransitionTime>
</iTrackRulesBlueprint-sPatternEntityDesc>
</AutomaticJunctionEntity>
<TrackSpeedLimitColours/>
<BrowseInformation>
    <iBrowseableBlueprint-cBrowseInformation>
        <DisplayName>
            <Localisation-cUserLocalisedString>
                <English d:type="cDeltaString">AD-TR_80_WN</English>
                <French d:type="cDeltaString"></French>
                <Italian d:type="cDeltaString"></Italian>
                <German d:type="cDeltaString">AD-TR_80_WN</German>
                <Spanish d:type="cDeltaString"></Spanish>
                <Dutch d:type="cDeltaString"></Dutch>
                <Polish d:type="cDeltaString"></Polish>
                <Russian d:type="cDeltaString"></Russian>
                <Other/>
                <Key d:type="cDeltaString"></Key>
            </Localisation-cUserLocalisedString>
        </DisplayName>
        <Description>
            <Localisation-cUserLocalisedString>
                <English d:type="cDeltaString">AD-TR_80_WN</English>
                <French d:type="cDeltaString"></French>
                <Italian d:type="cDeltaString"></Italian>
                <German d:type="cDeltaString">AD-TR_80_WN</German>
                <Spanish d:type="cDeltaString"></Spanish>
                <Dutch d:type="cDeltaString"></Dutch>
                <Polish d:type="cDeltaString"></Polish>
                <Russian d:type="cDeltaString"></Russian>
                <Other/>
                <Key d:type="cDeltaString"></Key>
            </Localisation-cUserLocalisedString>
        </Description>
        <Category d:type="cDeltaString">eExcludeFromBrowserList</Category>
        <ValidInScenarios d:type="cDeltaString">eFalse</ValidInScenarios>
    </iBrowseableBlueprint-cBrowseInformation>
</BrowseInformation>
</cTrackRulesBlueprint>
</Blueprint>
</cBlueprintLoader>

```